

REFERENCES

- Aksu, A.E., Calon, T., Piper, D.W.J., Turgut, S. & Izdar, E. (1992) Architecture of later orogenic Quaternary basins in northeastern Mediterranean Sea. *Tectonophysics* 210, 191 - 213.
- Allen, J.R.L. (1971) Mixing at turbidity current heads and its geological implications. *Journal of Sedimentary Petrology* 41, 97 - 113.
- Allen, J.R.L. (1983) Studies in fluvialite sedimentation: bars, bar-complexes and sandstone sheets (low sinuosity braided streams) in the Brownstones (L. Devonian), Welsch Borders. *Sedimentary Geology* 33, 237 – 293.
- Aktaş, G. & Robertson, A.H.F. (1984) The Maden Complex, SE Turkey: evolution of a Neotethyan continental margin. In: Dixon, J.E. & Robertson, A.H.F. (eds) *The geological evolution of the eastern Mediterranean*. Geol. Soc. London Special Publication 17, 375 – 402.
- Anderton, R. (1995) Sequences, cycles and other nonsense: are submarine fan models any use in reservoir geology? In: Hartley, A.J. & Prosser, D.J. (eds) *Characterization of deep marine clastic systems*. Geol. Soc. London Special Publication 94, 5 - 11.
- Andrews, I.J., Long, D., Richards, P.C., Thomson, A.R., Brown, S., Chesher, J.A., & McCormac (1990) *The geology of the Moray Firth*. UK Offshore Regional Report, BGS, HMSO, London, 96p.
- Boote, D.R.D. & Gustav, S.H. (1987) Evolving depositional systems within an active rift, Witch Ground Graben, North Sea. In: Brooks, J. & Glennie, K.W. (eds) *Petroleum geology of north west Europe*. Graham & Trotman, London, 819 - 833.
- Bouma, A. (1962) *Sedimentology of some flysch deposits: A graphical approach to facies interpretation*. Elsevier, Amsterdam, 168 p.
- Bouma, A. (1983) COMFAN. *Geo-Marine Letters* 3: 2-4, 53 - 224.
- Bouma, A. (2000) Coarse-grained and fine-grained turbidite systems as end member models: applicability and dangers. *Marine Petroleum Geology* 17, 137 - 143.
- Bouma, A. (2001) Fine-grained submarine fans as possible recorders of long- and short-term climatic changes. *Global and Planetary Change* 28, 85 - 91.
- Bouma, A.H., Coleman, J.M. & DSDP Leg 96 Shipboard Scientists (1985) Mississippi Fan Leg 96 program and principal results. In: Bouma, A.H., Barnes, A.H. & Normark, W.R. (eds) *Submarine fans and related turbidite systems*. New York, Springer-Verlag, 247 - 252.
- Bouma, A.H., DeVries, M.B., & Stone, C.G. (1997) Reinterpretation of depositional processes in a classic flysch sequence (Pennsylvanian Jackfork Group), Ouachita Mountains, Arkansas and Oklahoma: Discussion. *AAPG Bulletin*, Vol 81:3, 470 - 472.
- Bruhn, C.H.L. & Walker, R.G. (1995) High-resolution stratigraphy and sedimentary evolution of coarse-grained canyon-filling turbidites from the Upper Cretaceous transgressive megasequence, Campos Basin, offshore Brazil. *Journal of Sedimentary Research* B65: 4, 426 - 442.
- Burgess, P.M. & Hovius, N. (1998) Rates of delta progradation during highstands: consequences for timing of deposition in deep-marine systems. *Journal of the Geol. Soc. London*, 155, 217 - 222.
- Burgess, P.M, Flint, S.S. & Johnson, S. (2000) Sequence stratigraphic interpretation of turbiditic strata: an example from Jurassic strata of the Neuquen basin, Argentina. *GSA Bulletin* 112: 11, 1650 – 1666.
- Bryant, I.D. & Flint, S.S. (1993) Quantitative clastic reservoir geological modelling: problems and perspectives. In: Flint, S.S. and Bryant, I.D. (eds) *The geological modelling of hydrocarbon reservoirs and outcrop analogues*. Oxford, Blackwell Scientific Publishers, 3 - 20.
- Cazzola, C., Fonnesu, F., Mutti, E., Rampone, G., Sonnino, M. & Vigna, B. (1981) Geometry and facies of small, fault controlled deep-sea fan system in a transgressive depositional setting (Tertiary Piedmont Basin, northwest Italy). In: Ricci Lucchi, F. (ed) *Excursion guidebook; 2nd European Regional IAS Meeting*. Bologna, 5 - 56.
- Cazzola, C., Mutti, E. & Vigna, B. (1985) Cengio turbidite system, Italy. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) *Submarine fans and related turbidite systems*. New York, Springer Verlag, 179 - 183.
- Chapin, M.A., Tiller, G.M. & Mahaffie, M.J. (1996) 3-D architecture modeling using high resolution seismic data and sparse well control: example from the Mars "Pink" reservoir, Mississippi Canyon area, Gulf of Mexico. In: Weimer, P. & Davis, T.L. (eds) *AAPG Studies in Geology* 42 and *SEG Geophysical Development Series* 5, AAPG/SEG, Tulsa, 124 - 132.
- Chen, C. & Hiscott, R.N. (1999a) Statistical analysis of turbidite cycles in submarine-fan successions: tests for short-term persistence. *Journal of Sedimentary Research* 69:2, 486 - 504.

- Chen, C. & Hiscott, R.N. (1999b) Statistical analysis of facies clustering in submarine-fan successions. *Journal of Sedimentary Research* 69: 2, 505 - 517.
- Clark, J.D. & Pickering, K.T. (1996) Submarine channels: processes and architecture. London, Vallis Press, 231 p.
- Clift, P.D., Shimizu, N., Layne, G.D., Blusztajn, J.S., Gaedcke, C., Schlüter, H.U., Clarke, M.K. & Amjad, A. (2001) Development of the Indus Fan and its significance for the erosional history of the Western Himalaya and Karakoram. *GSA Bulletin* 113: 8, 1039 - 1051.
- Cornamusini, G. & Sandrelli, F. (2002) Architecture and depositional evolution of a foredeep's sand-rich turbidite system of the northern Apennines. 16th International Sedimentological Congress, Johannesburg, 60 - 61. [abstract]
- Cronin, B.T. (1994) Channel-fill architecture in deepwater sequences: variability, quantification and applications. Ph.D. Thesis, University of Wales, Cardiff, 332 p. [unpublished]
- Cronin, B.T., Owen, D., Hartley, H. & Kneller, B. (1998). Slumps, debris flows and sandy deepwater channel systems: implications for the application of sequence stratigraphy to deepwater clastic systems. *Journal of the Geol. Soc., London*, 155, 429 - 432.
- Cronin, B.T., Gürbüz, K., Hurst, A., & Satur, N. (2000) Vertical and lateral organisation of a carbonate deep-water slope marginal to a submarine fan system, Miocene, southern Turkey. *Sedimentology* 47, 801 - 824.
- Damuth, J.E. & Flood, R.D. (1985) Amazon Fan, Atlantic Ocean. In: Bouma, A.H., Barnes, N.E. & Normark, W.R. (eds) Submarine fans and related turbidites systems. New York, Springer Verlag, 97 - 106.
- Damuth, J.E., Flood, R.D., Kowsmann, R.O., Belderson, R.H. & Gorini, M.A. (1988) Anatomy and growth patterns of Amazon deep-sea fan revealed by long-range side-scan sonar (GLORIA) and high-resolution seismic studies. *AAPG Bulletin* 72, 885 - 911.
- Davis, J.C. (1986) Statistics and data analysis in geology. Second edition. John Wiley & Sons, New York, 646 p.
- Dermican, H. & Toker, V. (1998) The role of trace fossils in basin analysis: Cingöz Formation and associated facies, southern Turkey, as a case study. In: Third International Turkish Geology Symposium. Middle Eastern Technical University, Ankara, Turkey, 218. [abstract]
- Dewey, J.F., Hempton, M.R., Kidd, W.S.F., Saröglü, F. & Sengör, A.M.C. (1986) Shortening of continental lithosphere: the neotectonics of eastern Anatolia: a young collision zone. Special Publication of the Geol. Soc. London, 3 - 36.
- Dixon, R.J. & Pearce, J. (1995) Tertiary sequence stratigraphy and play fairway definition, Bruce-Beryl Embayment, Quadrant 9, UKCS. In: Steel *et al.* (eds) Sequence stratigraphy of the Northwest European margin. NPF Special Publication 5, 443 - 469.
- Einsele, G. (1991) Submarine mass flow deposits and turbidites. In: Einsele, G., Ricken, W. & Seilacher, A. (eds) Cycles and events in stratigraphy. Springer Verlag Berlin, 313 - 339.
- Einsele, G. & Ricken, W. (1991) Introductory remarks – larger cycles and sequences. In: Einsele, G., Ricken, W. & Seilacher, A. (eds) Cycles and events in stratigraphy. Springer Verlag Berlin, 611 - 616.
- Einsele, G., Liu, B., Dürr, S., Frisch, W., Liu, G., Luterbacher, H.P., Ratschbacher, L., Ricken, W., Wendt, J., Wetzel, A., Yu, G. & Zheng, H. (1994) The Xigaze forearc basin: evolution and facies architecture (Cretaceous, Tibet). *Sedimentary Geology* 90, 1 – 32.
- Ercilla, G., Alonso, B., Perey-Belzuz, F., Estrada, F., Baraza, J., Farran, M., Canals, M. & Masson, D. (1998) Origin, sedimentary processes and depositional evolution of the Agadir turbidite system, central eastern Atlantic. *Journal of the Geol. Soc. London*, 155, 929 - 939.
- Ericella, G., Alonso, B., Estrada, F., Chiocci, F.L., Baraza, J. & Farran, M. (2002) The Magdalena Turbidite System (Caribbean Sea): present-day morphology and architecture model. *Marine Geology* 185, 302 – 318.
- Enjolras, J.M., Gouadain, J., Mutti, E. & Pizon, J. (1986) New turbiditic model for the lower Tertiary sands in the South Viking Graben. In: Spencer, A.M., Holter, E., Campbell, C.J., Hanslein, S.H., Nystrøm, E. & Ormaasen, E.G. (eds) Habitat of hydrocarbons on the Norwegian continental shelf. Graham & Trotman, London, 171 - 178.
- Eschard, R. (2001) Geological factors controlling sediment transport from platform to deep basin: a review. *Marine and Petroleum Geology* 18, 487 – 490.
- Friedman, G.M. & Sanders, J.E. (1997) Dispelling the myth of seafloor tranquility. *Geotimes* 42, 24 - 27.
- Flood, R.C., Manley, P.L., Kowsmann, R.O., Appi, C.J. & Pirmez, C. (1991) Seismic facies and later Quaternary growth of the Amazon submarine fan. In: Weimer, P. & Link, M.H. (eds) Seismic facies and sedimentary processes of modern and ancient submarine fans and turbidite systems. New York, Springer Verlag, 247 - 272.
- Flood, R.D., Piper, D.J.W. & Shipboard Scientific Party (1995) Proceedings of the Ocean Drilling Program, initial Reports. In: Flood, R.D., Piper, D.J.W. & Klaus, A. (eds) Ocean Drilling Program. College Station, A & M University Texas 155, 5 - 16.

- Floyd, P.A., Kelling, G., Gökcen, S.L. & Gökcen, N. (1992) Arc-related origin of volcaniclastic sequences in the Misis Complex, Southern Turkey. *Journal of Geology* 100, 221 - 230.
- Foster C. (1995) Vertical sequences in turbidite successions: fact or fiction. Ph.D thesis, University of Southampton, 275 p. [unpublished]
- Freer, G., Hurst, A. & Middleton, P. (1996) Upper Jurassic sandstone reservoir quality and distribution on the Fladen Ground Spur. In: Hurst *et al.* (eds) *Geology of the Humber Group: Central Graben and Moray Firth, UKCS*. Geological Special Publication No. 114, 235 - 249.
- Frey, R.W. & Pemberton, S.G. (1984) Trace fossil facies models. In: Walker, R.G. (ed.) *Facies models*. Geoscience Canada Reprint Series, 189 - 207.
- Fox, C. (article editor; 1992) Reservoir characterisation using expert knowledge, data and statistics. *Oilfield Review* 4: 1, 25 - 39.
- Galloway, W.E (1998) Siliciclastic slope and base-of slope depositional systems: component facies, stratigraphic architecture, and classification. *AAPG Bulletin* 82: 4, 569 – 595.
- Galloway, W.E. & Hobday, D.K. (1996) *Terrigenous clastic depositional systems* (2nd edition). Springer Verlag Heidelberg, 489 p.
- Garland, C.R., Haughton, P., King, R.F. & Moulds T.P. (1999) Capturing reservoir heterogeneity in a sand-rich submarine fan, Miller Field. In: Fleet, A.J. & Boldy, S.A.R. (eds) *Petroleum Geology of northwestern Europe: Proceedings of the 5th Conference*. Geol. Soc. London, 1199 - 1208.
- Garrison, L.E., Kenyon, N.H. & Bouma, A.H. (1982) Channel systems and lobe construction in the Mississippi Fan. *Geo-Marine Letters* 2, 31 - 39.
- Geehan, G.W. & Underwood, J. (1993) The use of length distribution in geological modelling. IAS Special Publication 15, 205 - 212.
- Ghibaudo, G. (1980) Deep-sea fan deposits in the Macigno Formation (Middle-Upper Oligocene) of the Gordana Valley, Northern Apennines, Italy. *Journal of Sedimentary Petrology* 50: 3, 0723 - 0742.
- Ghibaudo, G. (1981) Deep-sea fan deposits in the Macigno Formation (Middle-Upper Oligocene) of the Gordana Valley, Northern Apennines, Italy – Reply. *Journal of Sedimentary Petrology*, 51-3, 1021 - 1033.
- Ghibaudo, G. (1992). Subaqueous sediment gravity flow deposits: practical criteria for their field description and classification. *Sedimentology* 39, 423 - 424.
- Gökcen, S.L., Kelling, G., Gökcen, N. & Floyd, P.A. (1988) Sedimentology of a Late Cenozoic collisional sequences: the Misis Complex, Adana, Southern Turkey. *Newsletter Stratigraphy* 24, 111 - 135.
- Gonthier, E.G., Faugeres, J.C. & Stow, D.A.V (1984) Contourite facies of the Faro Drift, Gulf of Cadiz. In: Stow, D.A.V. & Piper, D.J.W. (eds) *Fine-grained sediments: deep-water processes and facies*. Geol. Soc. London Special Publication, 275 - 292.
- Görür, N. (1977) Sedimentology of the Karaisali limestone and associated clastics (Miocene) of the northwest flank of the Adana Basin, Turkey. Ph.D thesis, University of London, 244 p. [unpublished]
- Görür, N. (1979) Karaisali kirectasinin (Miyosen) sedimentolojisi. *Turkiye Jeoloji Kurumu Bulteni* 22, 227 - 235.
- Görür, N. (1992) A tectonically controlled alluvial fan which developed into a marine fan-delta at a complex triple junction: Miocene Gildirli Formation of the Adana Basin, Turkey. *Sedimentary Geology* 81, 243 - 252.
- Green, S. (1990) Scapa Field re-correlation study and petrographic summary. Occidental Petroleum (Caledonia) Internal Report, 24 p. [unpublished]
- Guerillot, D.R., Lemouzy, P.M. & Ravenne, C. (1992) How reservoir characterization can help to improve production forecasts. *Revue de l'Institut Français du Pétrole* 47: 1, 58 - 67.
- Gürbüz, K. (1993) Identification and evolution of Miocene submarine fans in the Adana Basin, Turkey. Ph.D. thesis, University of Keele, UK, 327 p. [unpublished]
- Gürbüz, K. & Kelling G. (1992) Internal/external controls on submarine fan development: two examples from the Neogene of southern Turkey. 29th Int. Geol. Congress, Kyoto 2, 292. [abstract]
- Gürbüz, K. & Kelling G. (1993) Provenance of Miocene submarine fans in the northern Adana Basin, southern Turkey: a test of discriminant function analysis. *Geological Journal* 28, 277 - 293.
- Habgood, E., Kenyon, N., Akhmetianov, A., Gardner, J. & Mulder, T. (2002) Bottom current and gravity flow process interaction: unusual examples from the Gulf of Cadiz. 16th International Sedimentological congress, 138. [abstract]
- Hampton, M.A. (1975) Competence of fine-grained debris flows. *Journal of Sedimentary Petrology* 45:4, 834 - 844.
- Haq, B.U., Hardenbol, J. & Vail, P.R. (1987a) Chronology of fluctuating sea levels since the Triassic. *Science* 235, 1156 - 1167.

- Haq, B.U., Hardenbol, J. & Vail, P.R. (1987b) Mesozoic and Cenozoic chronostratigraphy and cycles of sea-level change. In: Wilgus, C.K., Hastings, B.S., Kendall, C.G., Posamentier, H.W., Ross, C.A. & Van Wagoner, J.C. (eds) Sea-level changes: an integrated approach. SEPM Special Publication, 72 - 108.
- Hancock, J.M. (1990) Cretaceous. In: Glennie, K.W. (ed) Introduction to the petroleum geology of the North Sea. Blackwell Scientific Publications, Oxford, 255 - 272.
- Harker, S.D., Gustav, S.H. & Riley, L.A. (1987) Triassic to Cenomanian stratigraphy of the Witch Ground Graben. In: Brooks, J. & Glennie, K. (eds) Petroleum geology of north west Europe. Graham & Trotman, 809 – 818.
- Harker, S.D. & Chermark, A. (1992) Detection and prediction of Lower Cretaceous sandstone distribution in the Scapa Field, North Sea. In: Hardman, R.F.P. (ed) Exploration Britain: geological insights for the next decade. Geol. Soc. London Special Publication 67, 221 - 246.
- Harker, S.D., Grean, S.C.H. & Romani, R.S. (1991) The Claymore Field, Block 14/19, UK North Sea. In: Abbotts, I. L. (ed) United Kingdom Oil and Gas Fields, 25 Years commemorative volume. Geol. Soc. London Memoir 14, 269 - 278.
- Harker, S.D., Mantel, K.A., Morton, D.J. & Riley, L.A. (1993) The stratigraphy of Oxfordian - Kimmeridgian (Late Jurassic) reservoir sandstones in the Witch Ground Graben, United Kingdom North Sea. AAPG Bulletin 77: 10, 1693 - 1709.
- Harland, W.B., Armstrong, R.L., Cox, V.A. & Smith, A.G. (1990) A geologic time scale 1989. Cambridge University Press, New York, 263 p.
- Harms, J.C. & Fahnstock, R.K. (1965) Stratification, bed forms, and flow phenomena (with an example from the Rio Grande). In: Middleton, G.V. (ed) Primary sedimentary structures and their hydrodynamic interpretation. Tulsa, SEPM Special Publication, 84 - 115.
- Hartley, H.J. & Otava, J. (2001) Sediment provenance and dispersal in a deep marine foreland basin: the Lower Carboniferous Culm Basin, Czech Republic. Journal of the Geol. Soc. London 158, 137 - 150.
- Hatton, I.R., Reeder, M., Newman, M.S.T.J. & Roberts, D. (1992) Techniques and applications of petrophysical correlation in submarine fan environments, early Tertiary sequences. North Sea. In: Hurst, A., Griffiths, C.M. & Worthington, P.F. (eds) Geological applications of wireline logs II. Geol. Soc. London Special Publication 65, 21 - 30.
- Hearn, C.J., Ebanks, W.J.Jr., Tye, R.S. & Ranganathan, V (1984) Geological factors influencing reservoir performance of the Hartzog Draw Field, Wyoming. Journal of Petroleum Technology 35, 1335 - 1344.
- Heezen, B.C. & Hollister, C.D. (1971) The face of the deep. Oxford University Press, New York, 659 p.
- Heezen, B.C., Menzies, R.J., Schneider, E.D., Ewing, W.M. & Granelli, N.C. (1964) Congo submarine canyon. AAPG Bulletin 48, 1126 – 1149.
- Hein, F.J. & Walker, R.G. (1982) The Cambro-Ordovician Cap Enrage Formation, Quebec, Canada: conglomeratic deposits of a braided submarine channel with terraces. Sedimentology 29, 309 - 329.
- Holland, O., Wathne, E.I. & Nemec, W. (2002) Sedimentology of the Early Eocene Frigg Submarine Fan, North Sea. In: 16th International Sedimentological Congress, 153 - 154. [abstract]
- Heller, P. & Dickinson, W.R. (1985) Submarine ramp facies model for delta-fed, sand-rich turbidite systems. AAPG Bulletin 69, 960 – 976.
- Hempton, M.R. (1982) Structure and deformation history of the Bitlis Suture near Lake Hazar, southeastern Turkey, GSA Bulletin 96, 233 – 243.
- Hempton, A. (1982) The North Anatolian fault and complexities of continental escape. Journal of Structural Geology 4, 502 - 504.
- Hendry, J.P. (1994) Diagenetic evolution of the Scapa Member Sandstones (SD Unit), Block 14/19, Outer Moray Firth. Aberdeen University, UK, 130 p. [unpublished]
- Heritier, F.E., Lossel, P. & Wathne, E. (1979) Frigg Field – large submarine –fan trap in Lower Eocene rocks of North Sea Viking Graben. AAPG Bulletin 63: 11, 1999 - 2020.
- Hewlett, J.S. & Jordan, D.W. (1993) Stratigraphic and combination traps within a seismic sequence framework, Miocene Stevens Turbidites, Bakersfield, Arch, California. In: Weimer, P. & Posamentier, H.W. (eds) Siliciclastic sequence stratigraphy: recent developments and applications. AAPG Memoir 58, 135 – 162.
- Hiscott, R.N. (1981) Deep-sea fan deposits in the Macigno Formation (Middle-Upper Oligocene) of Gordana Valley, Northern Apennines, Italy - Discussion. Journal of Sedimentary Petrology 51, 1015 - 1033.
- Hiscott, R., Pickering, K., Bouma, A., Kneller, B., Postma, G. & Soh, J. (1997) Basin-floor fans in the North Sea: sequence stratigraphic models vs. sedimentary facies: Discussion. AAPG Bulletin 81, 662 - 665.
- Hughes, S.R., Alexander, J. & Druitt, T.H. (1995) Anisotropic grain fabric: volcanic and laboratory analogues for turbidites. In: Hartley, A.J. & Prosser, D.J. (eds) Characterization of deep marine clastic systems. Geol. Soc. London Special Publication 94, 51 - 62.

- Hughes Clarke, J.E., Shor, A.N., Piper, D.J.W. & Mayer, L.A. (1990) Large-scale current-induced erosion and deposition in the path of the 1929 Grand Banks turbidity current. *Sedimentology* 37, 613 - 629.
- Hurst, A. & Buller, A.T. (1984) Dish structures in some Paleocene deep-sea sandstones (Norwegian Sector, North Sea): origin of the dish-forming clays and their effect on reservoir quality. *Journal of Sedimentary Petrology* 54: 4, 1206 - 1211.
- Hurst, A., Verstralen, I., Cronin, B. & Hartley, A. J. (1999) Sand-rich fairways in deepwater clastic reservoirs: genetic units, capturing uncertainty and a new approach to reservoir modelling. *AAPB Bulletin* 83: 7, 1096 - 1118.
- Hodgson, D.M., Hodgetts, D., Howell, J., Keogh, K., Flint, S., Drinkwater, N. & Van der Werff, W. (2002) Impact on subtle basin-floor topography on lateral and frontal submarine fan pinchout. 16th International Sedimentological Congress, 156. [abstract]
- Jackson, J. & McKenzie, D.P. (1984) Active tectonics of the Alpine-Himalayan belt between western Turkey and Pakistan. *Geophysical Journal of the Royal Astronomical Society of London* 77, 184 - 264.
- Jeremiah, J.M. (2000) Lower Cretaceous turbidites of the Moray Firth: sequence stratigraphical framework and reservoir distribution. *Petroleum Geoscience* 6: 4, 309 – 328.
- Johansson, M. & Stow, D.A.V. (1995) A classification scheme for shale clasts in deep-water sandstones. *Geol. Soc London Special Publication* 94, 221 - 241.
- Johansson, M., Braakenburg, N.E., Stow, D.A.V. & Faugères, J.C. (1998) Deep-water massive sands, facies, processes and channel geometry in the Numidian Flysch, Sicily. *Sedimentary Geology* 115, 233 - 265.
- Kane, K., Gupta, S., Johanson, H. & Trudgill, B. (2002) The response of turbidite dispersal growth pathways to normal fault propagation and basin confinement: an example from the North Halibut Graben, Outer Moray Firth, North Sea. 16th International Sedimentological Congress, 185 – 186. [abstract]
- Kano, Y. & Takeuchi, K. (1989) Origin of mudstone clasts in turbidites of the Miocene Ushikiri Formation, Shimae Peninsula, Southwest Japan. *Sedimentary Geology* 62, 79 – 87.
- Karig, D.E. & Kozlu, H. (1990) Late Palaeogene-Neogene evolution of the triple junction near Karamanmaraş, south-central Turkey. *Journal of the Geol. Soc. London* 147, 1023 - 1034.
- Kelling, G., Gökçen, S., Floyd, P., & Gökçen, N. (1987) Neogene tectonics and plate convergence in the eastern Mediterranean: new data from southern Turkey. *Geology* 15, 425 - 429.
- Kenyon, N.H., Klauke, I., Millington, J. & Ivanov, M.K. (2002) Sandy submarine canyon-mouth lobes on the western margin of Corsica and Sardinia, Mediterranean Sea. *Marine Geoloy* 184, 69 - 84.
- Kneller, B. (1995) Beyond the turbidite paradigm: physical models for deposition of turbidites and their implication for reservoir prediction. In: Hartley, A & Prosser, J. (eds) Characterisation of deep marine clastic systems. *Geol. Soc. London Special Publication*, 31 – 50.
- Kneller, B. & Branney, M.J. (1995) Sustained high-density turbidity currents and the deposition of thick massive sands. *Sedimentology* 42, 607 – 616.
- Kneller, B., Edwards, D., McCaffrey, W. & Moore, R. (1991) Oblique reflection of turbidity currents. *Geology* 14, 250 - 252.
- Kneller, B. & McCaffrey, W.D. (1999) Depositional effects of flow non-uniformity and stratification within turbidity currents approaching a bounding slope: deflection, reflection and facies variation. *Journal of Sedimentary Research*. 69/5, Section A, 980 - 991.
- Kolla, V. (1993) Lowstand deep-water siliciclastic depositional systems: characterisitcs and terminologies in sequence stratigraphy and sedimentology. *Bulletin Centre Recherche Exploration-Production Elf Aquitaine* 17, 67 – 78.
- Kolla, V. & Macudra, D.B.Jr. (1988) Sea-level changes and timing of turbidity-current events in deep-sea fan systems. In: Wilgus, C.K., Hastings, B.S., Kendall, C.G., Posamentier, H.W., Ross, C.A. & Van Wagoner, J.C. (eds) Sea level change – an integrated approach. *SEPM Special Publication* 42, 381 - 392.
- Kolla, V. & Perlmutter, M.A. (1993) Timing of turbidite sedimentation on the Mississippi Fan. *AAPG Bulletin* 77, 1129 - 1141.
- Kostrewa, R., Hurst, A., Cronin, B. & Kelling, G. (1997) Sedimentology and geometry of turbidite lobe deposits: Eastern fan, Miocene Cingöz Formation, southern Turkey. In: Burgess, P.M. & Keighley, D. (eds) BSRG Liverpool 1997, 63. [abstract]
- Kuehl, S.A., Hariu,T.M. & Moore, W.S. (1989) Shelf sedimentation off the Ganges-Brahmaputra river system: evidence for sediment bypassing to the Bengal Fan. *Geology* 17: 12, 1132 - 1135.
- Kuenen, Ph.H. & Migliorini, C.I. (1950) Turbidity currents as a cause of graded bedding. *Journal of Geology* 58, 91-127.

- Lebreiro, S.M., McCave, N., Weaver, P.P.E. (1997) Late Quaternary turbidite emplacement on the Horseshoe Abyssal Plain (Iberian Margin). *Journal of Sedimentary Research* 67: 5, 856 - 870.
- Link, M.H. & Welton, J.E. (1982) Sedimentology and reservoir potential of Matilija Sandstone: an Eocene sand-rich deep-sea fan and shallow marine complex, California. *AAPG Bulletin* 66: 10, 1514 - 1534.
- Lowe, D. (1982) Sediment gravity flows: II. Depositional models with special reference to the deposits of high-density turbidity currents. *Journal of Sedimentary Petrology* 52, 279 - 297.
- Lowe, D. (1997): Reinterpretation of depositional processes in a classic flysch sequence (Pennsylvanian Jackfork Group), Ouachita Mountains, Arkansas and Oklahoma: Discussion. *AAPG Bulletin* 81:3, 460 - 465.
- Lowey, G.W. (1992) Variation in bed thickness in a turbidite succession, Dezadeash Formation (Jurassic-Cretaceous), Yukon, Canada: evidence of thinning-upward and thickening-upward cycles. *Sedimentary Geology* 78, 217 - 232.
- Matheron, G., Beucher, H., de Fourquet, C., Galli, A., Guerillot, D. & Ravenne, C. (1987) Conditional simulation of the geometry of fluvio-deltaic reservoirs. Presentation at the 62nd annual technical conference and Exhibition of the SPE, SPE 16753
- McAfee, A. (1993) Early Cretaceous reservoir integration study Scapa and Northern Area Claymore fields, Block 14/19, UKCS. Core Laboratories report for Elf Enterprise Caledonia Ltd., Aberdeen, 198p. [unpublished]
- McCants, C.Y. & Burley, S.D. (1996) Reservoir architecture and diagenesis in downthrown fault block plays: the lowlander prospect of Block 14/206, Witch Ground Graben, Outer Moray Firth, UK North Sea. In: Hurst, A., Johnson, H.D., Burley, S.D. Canham,A.C. & Mackertich,D.S. (eds) *Geology of the Humber Group; Central Graben and Moray Firth, UKCS*. Geol. Soc. London Special Publication 114, 251 - 285.
- McGann, G.J., Green, S.C.H., Harker, S.D. & Romani, R.S. (1991) The Scapa Field, Block 14/19, Uk North Sea. In: Abbotts, I.L. (ed) United Kingdom Oil and Gas Fields, 25 Years Commemorative Volume. Geol. Soc. Memoir 14, 369 - 376.
- McLean, H. (1981) Reservoir properties of submarine-fan facies: Great Valley Sequence, California. *Journal of Sedimentary Petrology* 51: 3, 0865 - 0872.
- McLean, H. & Howell, D.G. (1985) Blanca Turbidite System, California. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) *Submarine fans and related systems*. Springer-Verlag, New York, 167 - 172.
- Miall, A.D. (1985): Architectural-elements analysis: A new method of facies analysis applied to fluvial deposits. *Earth-Science Reviews* 22, 261 - 308.
- Miall, A.D. (1999) Perspectives: in defence of facies classifications and models. *Journal of Sedimentary Research* 69: 1, 2 - 5.
- Middleton, G.V. & Hampton, M.A. (1976) Subaqueous sediment transport by sediment gravity flows. In: Stanley, D.J. & Swift, D.J.P. (eds) *Marine sediment transport and environmental management*. New York, Wiley, 197 - 218.
- Middleton, G.V. (1993) Sediment deposition from turbidity currents. *Annual review Earth Planetary Sciences* 21, 89 - 114.
- Millington, J.J. (1995) Morphology and architecture of confined and unconfined flow transition in modern and ancient deep water fan systems. Ph.D. thesis, University of Leicester, UK, 297 p. [unpublished]
- Millington, J. & Clark, J. D. (1995) Submarine canyon and associated base-of-slope sheet system: the Eocene Charo Arro system, south-central Pyrenees, Spain. In: Pickering, K., Hiscott, R., Kenyon, N., Ricci Lucchi, F. & Smith, R. (eds) *Atlas of deepwater environments: architectural styles in turbidite systems*. Chapman & Hall., London, 150 - 156.
- Mitchum Jr, R.M. (1985) Seismic stratigraphic expression of submarine fans. In: Berg, O.R. & Woolverton, D.G. (eds) *Seismic stratigraphy II: An integrated approach to hydrocarbon exploration*. AAPG Memoir 39, 117 - 136.
- Mitchum Jr, R.M., Sangree, J.B., Vail, P.R. & Wornardt, W.W (1993) Recognizing sequences and systems tracts from well logs, seismic data and biostratigraphy: examples from late Cenezoic of the Gulf of Mexico. In: Weimer, P. & Posamentir (eds) *Siliciclastic sequence stratigraphy: recent developments and applications*. AAPG Memoir 58, 163 - 197.
- Mijnssen, F.C.H., Tyler, N. & Weber, K.J. (1993) Knowledge base development for the estimation of reservoir rock properties in the interwell area: examples from the Texan Gulf Coast. *IAS Special Publication* 15, 169 - 180.
- Muck, M.T. & Underwood, M.B. (1990) Upslope flow of turbidity currents: a comparison among field observations, theory and laboratory models. *Geology* 18, 54 - 57.
- Mulder, T. & Cochonat, P. (1996) Classification of offshore mass movements. *Journal of Sedimentary Research* 66, 43 - 57.
- Murray, C.J., Lowe, D.R., Graham, S.A., Martinez, R.A., Zeng, J., Carroll, A.R., Cox, R., Hendrix, M., Heubeck, X., Miller, D., Moxon, I.W., Sobel, E., Wendebourg, J. & Williams, T. (1996) Statistical analysis of bed-thickness patterns

- in a turbidite section from the Great Valley Sequence, Cache Creek, Northern California. *Journal of Sedimentary Research* 66: 5, 900 – 908.
- Mutti, E. (1977) Distinctive thin-bedded turbidite facies and related depositional environments in the Eocene Hecho Group (South-central Pyrenees, Spain). *Sedimentology* 24, 107 - 131.
- Mutti, E. (1979) Sedimentation detritique (fluviaatile, littorale et marine). Cours 3e cycle rouend. Université de Fribourg. Switzerland, 353 - 419.
- Mutti, E. (1985a). Turbidite systems and their relations to depositional sequences. In: Zuffa, G. G. (ed) Provenance of Arenites. Reidel Publishing Company, 65 - 93.
- Mutti, E. (1985b) Hecho Turbidite System, Spain. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) Submarine fans and related turbidite systems. Springer Verlag New York, 205 - 208.
- Mutti, E. (1992) Turbidite sandstone, Agip Milan, 272 p.
- Mutti, E. (1996) Flood-generated sandstone facies in ancient fluvio-deltaic systems. IAS Special Lecture Tour. [abstract]
- Mutti, E. & Ghibaudo, G. (1972) Un esempio di torbiditi di conoide sottomarina esterna-Le Arenarie di Salvatore (Formazione di Bobbio, Miocene) nell' Appennino di Piacenza. *Memorie dell' Accademia della Scienze di Torino, Classe di Scienze Fisiche, Matematiche e Naturalis, Serie 4*, 40 p.
- Mutti, E. & Johns, D.R. (1978) The role of sedimentary by-passing in the genesis of fan fringe and basin plain turbidites in the Hecho Group system (South-central Pyrenees). *Mem. Soc. Geol. Italia* 18, 15 - 22.
- Mutti, E. & Normark, W. R. (1987) Comparing examples of modern and ancient turbidite systems: problems and concepts. In: Leggett, F. K. & Zuffa, G. G. (eds) Marine clastic sedimentology. Graham & Trotman, London, 1 - 38.
- Mutti, E. & Normark, W. R. (1991) An integrated approach to the study of turbidite systems. In: Weimer, P. & Link, M. H. (eds) Seismic facies and sedimentary processes of submarine fans and turbidite systems. Springer Verlag, New York, 75 - 106.
- Mutti, E. & Ricci Lucchi, F. (1972) Turbidites of the northern Apennines: introduction to facies analysis. (English translation by T. H. Nilson 1978). *International Geological Review* 20, 125 - 166.
- Mutti, E. & Ricci Lucchi, F. (1975) Turbidite facies and facies associations. In: Mutti, E., Parea, G.C., Ricci Lucchi, F., Sagri, M., Zanzucchi, G., Ghibaudo, G. & Jaccarino, S (eds) Examples of turbidite facies and facies associations from selected formations of the Northern Apennines. 9th International Sedimentology Congress, Nice-75. Field trip guidebook A-11, 21 - 36.
- Mutti, E. & Sonnino, M. (1981) Compensation cycles: a diagnostic feature of turbidite sandstone lobes. IAS 2nd European Meeting, Bologna, 120 – 123 [abstract].
- Mutti, E., Nilsen, T. H. & Ricci Lucchi, F. (1978) Outer fan depositional lobes of the Laga Formation (Upper Miocene and Lower Pliocene), east-central Italy. In: Stanley, D. J. & Kelling, G. (eds) Sedimentation in submarine fans, canyons and trenches. Downed, Hutchinson & Ross, Stroudsburg, Pennsylvania, 210 - 223.
- Mutti, E., Barros, K., Possato, S. & Rumenos, L. (1980) Deep-sea fan turbidites sediments winnowed by bottom currents in the Eocene of the Campos Basin, Brazilian offshore. IAS 1st European Meeting, 114. [abstract]
- Mutti, E., Remacha, E., Sgavetti, M., Rosell, J., Valloni, R. & Zamorano, M. (1985) Stratigraphy and facies characteristics of the Eocene Hecho Group turbidite system, South-central Pyrenees. In: Mila, M. D. & Rosell, J. (eds) IAS 6th European Regional Meeting, Excursion Guidebook, Lerida, 521 - 576.
- Mutti, E., Davoli, G., Mora, S. & Papani, L. (1994) Internal stacking patterns of ancient turbidite systems from collisional basins. In: Weimer, P., Bouma, A.H. & Perkins, B.F. (eds) Submarine fans and turbidite systems. Sequence Stratigraphy, Reservoir Architecture and Production Characteristics. Gulf of Mexico and International. GCSSEPM Foundation 15th Research Conference, Houston, 257 - 267.
- Naz, H., Cuhadar, O. & Yehiay, G. (1991) Middle Miocene Cingöz deep-sea fan deposits of the Adana Basin, Southern Turkey. In: Sungurlu, O. (ed) Tectonics and hydrocarbon potential of Anatolia and surrounding regions. Ankara, 190 - 121.
- Nazik, A. & Gürbüz, K. (1992) Karaisalı-Çatalan-Egner yörensinin (KB-Adana) alt-orta Miyosen istifinin planktonik foraminifer yörenstratigrafisi. *Turkiye Jeoloji Bulteni* 35, 67 - 80.
- Nelson, C.H., Maldonaldo, A., Coumes, H.G. & Monoco, A. (1985) Ebro fan, Mediterranean. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) Submarine fans and related systems: Springer Verlag, New York, 121 – 127.
- Nelson, C.H., Baraz, J. & Maldonaldo, A. (1993) Mediterranean undercurrent sandy contourites, Gulf of Cadiz, Spain. *Sedimentary Geology* 82, 103 - 131.
- Nichols, R.J., Sparks, R.S.J. & Wilson, C.J.N. (1994) Experimental studies of the fluidization of layered sediments and formation of fluid escape structures. *Sedimentology* 41, 233 - 253.

- Nilsen, T.H. (1980) Modern and ancient submarine fans: discussion. AAPG Bulletin 64, 1094 – 1112.
- Nilsen, T.H. (1985) Chugach Turbidites system, Alaska. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) Submarine fans and related systems: Springer Verlag, New York, 185 – 192.
- Nilsen, T.H., Boote, D.R.D. & Reid, S.A. (2002a) Lower and Middle Tertiary sequence stratigraphy, depositional systems, tectonic framework, and paleogeography of the southern San Joaquin Basin, California. 16th International Sedimentological Congress, Johannesburg, 281. [abstract]
- Nilsen, T.H., Gregory, G.J. & Wylie Jr., A.S. (2002b) Confined Miocene sand-rich turbidite sedimentation in the southern Temblor Range and adjacent Midway-Sunset Oil Field, San Joaquin Basin, California. 16th International Sedimentological Congress, 282. [abstract]
- Normark, W.R. (1970) Growth patterns of deep-sea fans. AAPG Bulletin 54, 2170 - 2195.
- Normark, W. R. (1978) Fan valleys, channels and depositional lobes on modern submarine fans: characters for recognition of sandy turbidite environments. AAPG Bulletin 62, 912 - 931.
- Normark, W.R. (1991) Turbidite elements and the obsolescence of the suprafan concept. Giornale di Geologia, ser 3^a, 53/2, 1 - 10.
- Normark, W.R. & Piper, D.J.W. (1985) Navy Fan, Pacific Ocean. In: Bouma, A.H., Barnes, A.H. & Normark, W.R., (eds) Submarine fans and related turbidite systems. Springer Verlag, New York, 87 - 94.
- Normark, W.R. & Piper, D.J.W. (1991) Initiation processes and flow evolution of turbidity currents: implications for the depositional record. In: From Shoreline to Abyss. SEPM Special Publication 46, 207 - 230.
- Normark, W.R., Piper, D.J.W. & Hesse, G.R. (1979) Distributary channels, sand lobes and mesotopography of Navy submarine fan, California Borderland, with application to ancient fan sediments. Sedimentology 26, 749 - 744.
- Normark, W.R., Piper, D.J.W., Stow, D.A.V. (1983) Quartary development of channels, levees, and lobes on Middle Laurentian Fan. AAPG Bulletin, 67: 9, 1400 - 1409.
- Normark, W.R., Posamentier, H. & Mutti, E. (1993) Turbidite Systems: state of the art and future directions. Reviews of Geophysics 3-2, 91 - 116.
- Normark, W.R., Piper, D.J.W. & Hiscott, R.N. (1998) Sea level controls on the textural characteristics and depositional architecture of the Hueneme and associated submarine fan systems, Santa Monica Basin, California. Sedimentology 45, 53 – 70.
- Oakman, C.D. & Partington, M.S. (1998) Cretaceous. In: Glennie, K.W. (ed) Petroleum Geology of the North Sea. Basic concepts and recent advances. 4th edition. Blackwell Science, London, 294 – 349.
- O'Driscoll, W., Hindle, A.D. & Long, D.C. (1990) The structural controls on Upper Jurassic and Lower Cretaceous reservoir sandstones in the Witch Ground Graben, UK North Sea. In: Hardman, R.F.P. & Brooks, J. (eds) Tectonic events responsible for Britains oil and gas reserves. Geol. Soc. Special Publication 55, 299 – 323.
- Özçelik, N. (1993) Facies and environmental aspects of the Güvenç Formation in the Adana Basin. Ph.D thesis, Cukurova University, Turkey, 215 p. [unpublished]
- Pettingill, H.S. (1998) Turbidite plays' immaturity mean big potential remains. Oil and Gas Journal, Oct. 5, 106 - 112.
- Pickering, K. (1981) Two types of outer fan lobe sequence, from the Late Precambrian Kongsfjord Formation submarine fan, Finnmark, North Norway. Journal of Sedimentary Petrology 51: 4, 1277 - 1286.
- Pickering, K. & Hiscott, R.N. (1985) Contained (reflected) turbidity currents from the Middle Ordovician Cloridorme Formatin, Quebec, Canada: an alternative to the antidune hypothesis. Sedimentology, 32, 373 - 394.
- Pickering, K. T., Stow, D. A. V., Watson, M. and Hiscott, R. N. (1986). Deepwater facies, processes and models: a review and classification scheme for modern and ancient sediments. Earth Science Review 22, 75 - 175.
- Pickering, K., Hiscott, R.N., & Hein, F.J. (1989) Deep marine environments: clastic sedimentation and tectonics. Unwin Hyman, London. 416 p.
- Pickering, K., Clark, J., Smith, R., Hiscott, R., Ricci Lucchi, F. & Kenyon, N. (1995). Architectural element analysis of turbidite systems, and selected topical problems for sand-prone deepwater systems. In: Pickering, K., Hiscott, R., Kenyon, N., Ricci Lucchi, F. & Smith, R. (eds) Atlas of deepwater environments: architectural styles in turbidite systems. Chapman & Hall, London, 1 - 11.
- Piper, D.J.W. & Normark, W.R. (1983) Turbidite depositional patterns and flow characteristics, Navy submarine fan, California Borderland. Sedimentology 30, 681 - 694.
- Piper, D.J.W. & Stow, D.A.V. (1991) Fine grained turbidites. In: Einsele, G., Ricken, W. & Seilacher, A. (eds) Cycles and events in stratigraphy. Springer Verlag, Berlin Heidelberg, 360 - 376.
- Pinet, P. & Souriau, M. (1988) Continental erosion and large-scale relief. Tectonophysics 7, 563 - 582.
- Pirmez C., Hiscott, R.N. & Kronen, D.J. (1997) 2. Sandy turbidite successions at the base of channel-levee systems of the Amazon Fan revealed by FMS logs and cores: unraveling the facies architecture of large submarine fans. In: Flood,

- R.D., Piper, D.J.W., Klaus, A., Peterson, L.C. (Eds.) Proceedings of the Ocean Drilling Program, Scientific Results, Vol. 115, p. 7 - 33.
- Posamentier, H.W. & Erskine, R. (1991) Seismic expression and recognition criteria of ancient submarine fans. In: Weimer, P. & Link, M.H. (eds) Seismic facies and sedimentary processes of submarine fans and turbidite systems. Springer Verlag, New York, 197 - 222.
- Posamentier, H.W. & Vail, P.R. (1988) Eustatic controls on clastic deposition II – sequence and system tract models. In: Wilgus, C.K., Hastings, B.S., Kendall, C.G., Posamentier, H.W., Ross, C.A. & Van Wagoner, J.C. (eds) Sea level change – an integrated approach. SEPM Special Publication 42, 125 - 154.
- Posamentier, H.W., Jersey, M.T. & Vail, P.R. (1988) Eustatic controls on clastic deposition I – conceptual framework. In: Wilgus, C.H., Hastings, B.S., Kendall, C.G., Posamentir, H.W., Ross, C.A. & Van Wagoner, J.C. (eds) Sea level change – an integrated approach. SEPM Special Publication 42, 109 - 124.
- Posamentier, H.W., Erskine, R. & Mitchum Jr, R. (1991) Models of submarine-fan deposits within a sequence stratigraphic framework. In: Weimer, P. & Link, M. (eds) Seismic facies and sedimentary processes of submarine fans and turbidite systems. Springer Verlag, New York, 127 - 137.
- Postma, G. (1986) Classification for sedimentary gravity-flow deposits based on flow conditions during sedimentation. *Geology*, 291 - 296.
- Postma, G., Nemec, W. & Kleinschen, K.L. (1988) Large floating clasts in turbidites: a mechanism for their emplacement. *Sedimentary Geology* 58, 47 - 61.
- Prins, M.A. & Postma, G. (2000) Effects of climate, sea level, and tectonics unravelled for last deglaciation turbidite records of the Arabian Sea. *Geology* 28: 4, 375 - 378.
- Prins, M.A., Postma, G. & Weltje, G.J. (2000) Controls on terrigenous sediment supply to the Arabian Sea during the late Quaternary: the Makran continental slope. *Marine Geology* 169, 351 - 371.
- Purvis, K., Kao, J., Flanagan, K., Henderson, J. & Duranti, D. (2002) Complex reservoir geometries in a deep water clastic sequence, Gryphon Field, UKCS: injection structures, geological modelling and reservoir simulation. *Marine and Petroleum Geology* 19, 161 - 179.
- Puig, P., Ogston, A.S., Mullenbach, B.L., Nittrouer, C.A. & Sternberg, R.W. (2003) Shelf-to-canyon sediment-transport processes on the Eel continental margin (northern California). *Marine Geology* 193, 129 - 149.
- Rawson, P.E. & Riley, L.A. (1982) Latest Jurassic-Early Cretaceous events and the “Late Cimmerian Unconformity” in the North Sea Area. *AAPG Bulletin* 66: 12, 2628 - 2648.
- Ravenne, C. (1992) Annot Sandstone. Field Trip Guide, TREDMAR 1992. In: Ravenne, C. & Vially, R. (eds) Observation of outcrops at a seismic scale in view of seismic stratigraphic interpretation. AAPG Mediterranean Basins Conference Nice 1988, France, Field Trip 2, 68 p.
- Reading, H.G. (1991) The classification of deep-sea depositional systems by sediment caliber and feeder system. *Journal of Geol. Soc. London*, 148, 427 - 430.
- Reading, H.G. (1996) Sedimentary environments: processes, facies and stratigraphy. Blackwell Science (3rd Edition), Oxford, 688 p.
- Reading, H.G. & Richards, M. (1994) Turbidite systems in deepwater basin margins classified by grain-size and feeder system. *AAPG Bulletin* 78, 792 - 822.
- Reynolds, S. & Gorsline, D.S. (1987) Nicolas and Eel submarine fans, California continental borderland. *AAPG Bulletin* 7: 4, 452 - 463.
- Ricci Lucchi, F. (1975a) Miocene palaeogeography and basin analysis in the Periadriatic Apennines. In: Squyre C. (ed) Reprinted from *Geology of Italy*. Petroleum Exploration Society of Libya, 111 p.
- Ricci Lucchi, F. (1975b) Depositional cycles in two turbidite formations of Northern Apennines (Italy). *Journal of Sedimentary Petrology* 45, 3 - 43.
- Ricci Lucchi, F. (1981) The Marnoso-Arenacea: A migrating turbidite basin "over-supplied" by a highly efficient dispersal system. In: Ricci Lucchi, F. (ed) IAS Excursion Guidebook, with contributions on sedimentology on some Italian basins. 2nd European Regional Meeting, Bologna, Italy, 231 - 303.
- Ricci Lucchi, F. (1985) Marnosa-Arenacea turbidite system, Italy. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) Submarine fans and related turbidite systems. New York, Springer Verlag, 209 - 216.
- Ricci Lucchi, F. (1995) Contessa and associated megaturbidites: long distance (120 x 25 km) correlation of individual beds in a Miocene Foredeep. In: Pickering, K.T., Hiscock, R.N., Kenyon, N.H., Ricci Lucchi, F. & Smith, R.D.A. (eds) Atlas of deep-water environments: Architectural style in turbidite systems, London, Chapman & Hall, 300 - 302.
- Ricci Lucchi, F. & Valmori, E. (1980) Basinwide turbidites in the Miocene, oversupplied deep-sea plain: a geometrical analysis. *Sedimentology* 27, 241 - 270.

- Ricci Lucchi, F., Colella, A., Gabbianelli, G., Rossi, S. & Normark, W. R. (1984) The Crati submarine fan, Ionian Sea. *Geo-Marine Letters* 3, 71 - 77.
- Ricci Lucchi, F., Colella, A., Gabbianelli, G., Rossi, S. & Normark, W. R. (1985) Crati Fan, Mediterranean. In: Bouma, A. H., Normark, W. R. & Barnes, A. H. (eds) *Submarine fans and related turbidite systems*. Springer-Verlag, New York, 51 - 57.
- Richards, M. & Bowman, M. (1998) Submarine fans and related depositional systems II: variability in reservoir architecture and wireline log character. *Marine and Petroleum Geology* 15, 821 - 839.
- Richards, M., Bowman, M. & Reading, H. (1998) Submarine-fan systems I: characterisation and stratigraphic prediction. *Marine and Petroleum Geology* 15, 689 - 717.
- Rider, M.H. (1996) *The Geological Interpretation of Well Logs*. Blackie Halsted Press, Glasgow, 175 p.
- Riley, L.A., Harker, S.D. & Green, S.C.H. (1992) Lower Cretaceous palynology and sandstones distribution in the Scapa Field, UK North Sea. *Jornal of Petroleum Geology* 15: 1, 97 - 110.
- Risch, D.L., Donaldson, B.E., Taylor, C.K. (1996) Deep-water facies analysis using 3-D seismic sequence stratigraphy and workstation techniques: an example from Plio-Pleistocene strata, Northern Gulf of Mexico. In: Weimer, P. & Davies, T.L. (eds) *Application of 3-D seismic data to Exploration and Production*. AAPG Sudies in Geology 42 and SEG Geophysical Development Series 5. AAPG/SEG, Tulsa, 143 - 148.
- Robertson, A.H.F. (1998) Mesozoic - Tertiary tectonic evolution of the easternmost Mediterranean area: integration of marine and land evidence. In: Robertson, A.H.F., Emis, K-C., Richter, C. & Camerlenghi, A. (eds.) *Proceedings of the Ocean Drilling Program, Scientific Results*. Springer Verlag, New York, 723 - 782.
- Robertson, A.H.F., Eaton, S., Follows, E.J. & McCallum, J.E. (1991) The role of local tectonics versus global sea-level change in the Neogene evolution of the Cyprus active margin. *IAS Special Publications* 12, 331 - 369.
- Satur, N. (1999) Internal architecture, facies distribution and reservoir modelling of the Cingöz deepwater clastic system in southern Turkey. PhD thesis, Aberdeen University, 203 p. [unpublished]
- Satur, N., Hurst, A., Cronin, B. & Kelling, G. (1997) Downsystem variations within the proximal parts of a multisourced, bypass turbidite fan, southern Turkey. In: Burgess, P.M. & Keighley, D. (eds) BSRG Liverpool 1997, 93. [abstract]
- Satur, N., Hurst, A., Cronin, B. & Kelling, G., Gürbüz, K. (2000) Sand body geometry in a sand-rich , deep-water clastic system, Miocene Cingöz Formation of southern Turkey. *Marine and Petroleum Geology* 17, 239 - 252.
- Savary, B., Quaeghebeur, G., Merran, Y., Ferry, S. & Machhour, L. (2002) Geometry of a calcarenitic turbidite lobe, Barremian, Subalpine Basin, S-E France. 16th International Sedimentological Congress, Johannesburg, 323. [abstract]
- Savoye, B. & Piper, D.J.W. (1990) What controls depositional architecture of the Var Canyon-Fan system? Evidence from side-scan sonar images and high resolution and very high resolution seismic profiles. 13th Int. Sedimentological Congress, Nottingham, 478. [abstract].
- Schmidt, G. (1961) Stratigraphic nomenclature for the Adana region petroleum district VII. *Petroleum Administration Bulletin* 6, 47 - 63.
- Schupperts, J.D. (1995) Characterisation of deep-marine clastic sediments from foreland basins. Ph.D. Thesis, University of Technology at Delft, The Netherlands, 272 p. [unpublished]
- Schwab, W.C., Lee, H.J., Twichell, D.C., Locat, J., Nelson, C.H., McArthur, W.G. & Kenyon, N.H. (1996) Sediment mass-flow processes on a depositional lobe, outer Mississippi Fan. *Journal of Sedimentary Research* 66: 5, 916 - 927.
- Seilacher, A. (1967) Bathymetry of trace fossils. *Marine Geology* 5, 413 - 428.
- Selley, R.C. (1969) Studies of sequences in sediments using a simple mathematical device. *Journal of the Geol. Soc.* 125, 557 - 581.
- Sengör, A.M.C. (1979) Mid-Mesozoic closure of Permo-Triassic Tethys and its implications. *Nature* 279, 590 - 593.
- Sengör, A.M.C. & Yilmaz, Y. (1981) Tethyan plate tectonic evolution of Turkey: a plate tectonic approach. *Tectonophysics* 75, 181 - 241.
- Sengör, A.M.C., Görür, N. & Saroglu, F. (1985) Strike-slip faulting and related basin formation in zones of tectonic escape: Turkey as a case study. In: Biddle, K.T. & Christie-Blick, N. (eds) *Strike-slip deformation, basin formation and sedimentation*. SEPM Special Publication 37, 227 - 264.
- Shanmugam, G. (1996) High density turbidity currents: are they sandy debris flows? *Journal of Sedimentary Research* 66: 2 - 10.
- Shanmugam, G. (1997) The Bouma sequence and the turbidite mind set. *Earth Science Reviews* 42, 37 - 41.
- Shanmugam, G. (2000) 50 years of the turbidite paradigm (1950s-1990s): deep-water processes and facies models – a critical perspective. *Marine and Petroleum Geology* 17, 285 - 342.

- Shanmugam, G. & Moiola, R.J. (1988) Submarine fans; characteristics, models, classification and reservoir potential. *Earth Science Reviews* 24, 383 - 428.
- Shanmugam, G. & Moiola, R.J. (1991) Types of submarine fan lobes: models and implications. *AAPG Bulletin* 75, 156 - 179.
- Shanmugam, G. & Moiola, R.J. (1997) Reinterpretation of depositional processes in a classic flysch sequence (Pennsylvanian Jackfork Group), Ouachita Mountains, Arkansas and Oklahoma: Reply. *AAPG Bulletin* 81, 476 - 491.
- Shanmugam, G. Moiola, R.J & Damuth, J.E. (1985) Eustatic control of submarine fan development. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) *Submarine fans and related turbidite systems*. Springer Verlag, New York, 23 – 28.
- Shamugam, G., Spalding, T.D. & Rofheart, D.H. (1993) Process sedimentology and reservoir quality of deep-marine bottom-current reworked sands (sandy contourites): an example from the Gulf of Mexico. *AAPG Bulletin* 77: 7, 1241 – 1259.
- Shanmugam, G., Bloch, R.B., Mitchell, S.M, Beamish, G.W.J., Hodgkinson, R.J., Damuth, J.E., Straume, T., Syvertsen, S.E. & Shields, K.E. (1995) Basin-floor fans in the North Sea: sequence stratigraphic models vs. sedimentary facies. *AAPG Bulletin* 79, 477 - 512.
- Shanmugam, G., Bloch, R.B., Darmuth J.E. & Hodgkinson, R. (1997) Basin-floor fans in the North Sea: sequence stratigraphic models vs sedimentary facies: Reply. *AAPG Bulletin* 81, 666 - 672.
- Shor, A.N., Piper, D.J.W., Hugh Clarke, J.E. & Mayer, L.A. (1990) Giant flute-like scours and other erosional features formed by the 1929 Grand Banks turbidity current. *Sedimentology* 37, 631 - 645.
- Sinclair, H.D. (1994) The influence of lateral basinal slopes on turbidite sedimentation in the Annot sandstones of SE France. *Journal of Sedimentary Research* A64, 42 - 54.
- Sinclair, H.D. (2000) Delta-fed turbidites infilling topographically complex basins: a new depositional model for the Annot Sandstone, SE France. *Journal of Sedimentary Research* 70: 3, 504 – 519.
- Sixsmith, P., Grecula, M., Flint, S., Johnson, S. & Wickens, H. deV. (2002) Using sequence stratigraphy as a predictive tool in deepwater sandstones: lessons from the Karoo Basin of South Africa. 16th International Sedimentological Congress, Johannesburg, 333 - 334. [abstract]
- Slatt, R.M., Weimer, P. & Stone, C.G. (1997) Reinterpretation of depositional processes in a classic flysch sequence (Pennsylvanian Jackfork Group) Ouachita Mountains, Arkansas and Oklahoma: Discussion. *AAPG Bulletin* 81: 3, 449 - 459.
- Stow, D.A.V. (1985a) Deep-sea clastics: where are we and where are we going? In: Brenchley, P. J. & Williams, B.P.J. (eds) *Sedimentology: Recent developments and applied aspects*. Geol. Soc. London Special Publication 18, 67 - 93.
- Stow, D.A.V. (1985b) Brae oilfield turbidite system, North Sea. In: Bouma, A.H., Normark, W.R. & Barnes, N.E. (eds) *Submarine fans and related systems*. Springer Verlag, New York, 231 - 236.
- Stow, D.A.V. & Johansson, M. (2000) Deep-water massive sands: nature, origin and hydrocarbon implications. *Marine Petroleum Geology* 17, 145 - 174.
- Stow, D. A. V. & Shanmugam, G. (1980) Sequence of structures in fine-grained turbidites; comparison of recent deep-sea and ancient flysch sediment. *Sedimentary Geology* 25, 23 - 42.
- Stow, D.A.V. & Mayall, M. (2000) Deep-water sedimentary systems: new models for the 21st century. *Marine Petroleum Geology* 17, 125 - 135.
- Stow, D.A.V., Reading, H.G. & Collinson, J.D. (1996) Deep seas. In: Reading, H.G. (ed) *Sedimentary Environments: Processes, facies and stratigraphy*. Blackwell Science, Oxford, 395 - 454.
- Surlyk, F. (1978) Submarine fan sedimentation along fault scarps on filled fault blocks (Jurassic – Cretaceous boundary, East Greenland). *Bulletin of Greenland Geology* 128, 108 p.
- Surlyk, F. (1987) Slope and deep shelf gully sandstones, Upper Jurassic, East Greenland. *AAPG Bulletin* 71: 4, 464 - 475.
- Surlyk, F. (1995) Deep-sea fan valleys, channels, lobes and fringes of the Silurian Peary Land Group, North Greenland. In: Pickering, K.T., Hiscott, R.N. Kenyon, N.H., Ricci Lucchi, F. & Smith, R.D.A. (eds) *Atlas of deep water environments: architectural styles in turbidite systems*, Chapman & Hall, London, 124 - 138.
- Timbrell, G. (1993) Sandstone architecture of the Balder Formation depositional system, UK Quadrant 9 and adjacent areas. In: Parker, J. P. (ed) *Petroleum Geology of North West Europe*. Geol. Soc. London, 59 - 71.
- Toker, V., Dermiçan, H., Yıldız, A. & Sevim, S. (1998). Biostratigraphy and palaeoecology of deep-marine sediments of the lower-middle Miocene Cingöz Formation (Adana- Turkey). In: Third International Turkish Geology Symposium., Middle Eastern technical University, Ankara, Turkey, 225. [abstract]
- Trincardi, F., Correggiari, A., Field, M.E. & Normark, W.R. (1995) Turbidite deposition from multiple sources: Quarternary Paola Basin (Eastern Tyrrhenian Sea). *Journal of Sedimentary Research* B65: 4, 469 - 483.

- Tucker, A. (1996) Sedimentary rocks in the field. Chichester, Wiley. 2nd edition, 153 p.
- Tyler, N., Galloway, W.E., Garrett, C.M. Jr. & Ewing, T.E. (1984) Oil accumulation, production characteristics and targets for additional recovery in major oil reservoirs in Texas. Texas University Bureau of Economic Geology, Geologic Circular 84: 2, 33 p.
- Ünlügenç, U.C. (1993) Controls on Cenozoic sedimentation in the Adana Basin, southern Turkey. Volume I. Ph.D. thesis, University of Keele, UK, 229 p. [unpublished]
- Ünlügenç, U.C., Kelling, G. & Demirkol, C. (1992) Aspects of basin evolution in the Neogene Adana Basin, SE Turkey. In: Savascin, M.Y. & Eronat, A.H. (eds) Proceedings of the International Earth Science Congress on Aegean Regions, Izmir 1990, 353 - 370.
- Ünlügenç, U.C., Demirkol, C. & Safak, U. (1993) Stratigraphical and sedimentological characteristics of the Karsanti Basin fill to the N-E of the Adana Basin. Proc. A. Suat Erk Geology Symposium, Ankara 1991, 215 - 227.
- Unterseh, S. (1999) Cartographie et caractérisation du fond marin par sondeur multifaisceaux. Thèse de Doctorat. Inst. National Polytech. Lorraine, Nancy, 234 p. [unpublished]
- Van Wagoner, J. C., Mitchum, R. M., Posamentier, H. W. and Vail, P. R. (1987) Seismic stratigraphy interpretations using sequence stratigraphy, part II: Key definitions of sequence stratigraphy. In: Bally, A.W. (ed) Atlas of seismic stratigraphy. American Association of Petroleum Geologist, Studies in Geology 27, 1 - 10.
- Van Wagoner, J.C., Mitchum, R.M., Campion, K.M. & Rahamanian, V.D. (1990) Siliciclastic sequence stratigraphy in well logs, cores and outcrops: AAPG Methods in Exploration 7, 55 p.
- Vail, P.R., Mitchum, R.M., Todd, R.G., Widmier, J.M., Thompson, S., Sangree, J.B., Bubb, J.N. & Hatlelid, W.G. (1977) Seismic stratigraphy and global changes of sea level, parts 1-6. In: Payton, C. E. (ed) Seismic stratigraphy - Applications to Hydrocarbon Research. AAPG Memoirs, 49 - 133.
- Vail, P.R., Audemard, F., Bowman, S.A., Eisner, P.N. & Perez-Cruz, C. (1991) The stratigraphic signatures of tectonics, eustasy and sedimentology – an overview. In: Einsele, G., Ricken, W. & Seilacher, A. (eds) Cycles and events in stratigraphy. Springer Verlag Berlin Heidelberg, 617 - 659.
- Verstralen, I., Hartley, A. & Hurst, A. (1995) The sedimentological record of a late Jurassic transgression: Rona Member (Kimmeridge Clay Formation equivalent), West Shetland Basin, UKCS. In: Hartley, A.H. & Prosser, D.J. (eds) Characterization of deep marine clastic systems. Geol. Soc. Special Publication 94, 155 - 176.
- Walker, R. G. (1978) Deepwater sandstone facies and ancient submarine fans: models for exploration for stratigraphic traps. AAPG Bulletin 62, 932 - 966.
- Walker, R. G. (1980) Modern and ancient submarine fans: reply. AAPG Bulletin 64, 1101 - 1108.
- Walker, R.G. (1992) Turbidites and submarine fans. In: Walker, R.G. & James, N.P. (eds) Facies models – response to sea-level change. Geological Association of Canada, 239 – 263.
- Weber, K.J (1986) How heterogeneity affects oil recovery. In: Lake, L.W. & Carroll Jr. H.B. (eds) Reservoir Characterisation. Academic Press Inc. Orlando, 487 - 544.
- Weber, K.J. & Van Geuns, L.C. (1990) Framework for constructing clastic reservoir simulation models. Journal of Petroleum Technology 42, 1248 - 1297.
- Weber, M.E., Wiedicke, M.H., Kudrass, H.R., Hübscher, D. & Erlenkeuser, H. (1997) Active growth of the Bengal Fan during sea-level rise and highstand. Geology 25: 4, 315 - 318.
- Weimer, P. (1989) Sequence stratigraphy of the Mississippi Fan (Plio - Pleistocene), Gulf of Mexico. Geo-Marine Letters 9, 185 - 272.
- Weimer, P. & Link, M. H. (1991) Seismic facies and sedimentary processes of submarine fans and turbidite systems. Springer-Verlag New York. 447 p.
- Wetzel, A. (1993) The transfer of river load to deep-sea fans: a quantitative approach. AAPG Bulletin 77: 10, 1679 - 1692.
- Wetzel, A. (2002) Nereites as proxy for the paleo-redox boundary in deep-sea sediments. 16th International Sedimentological Congress, Johannesburg, 403. [abstract]
- Wilde, P., Normark, W.R., Chase, T.E. & Guttmacher, C.E. (1985) Potential petroleum reservoirs on deep-sea fans off Central California. In: Bouma, a.H., Normark, W.R. & Barnes, N.E. (eds) Submarine fans and related turbidite systems. 35 - 42.
- Williams, G., Ünlügenç, U., Kelling, G., & Demirkol, Ç. (1995) Tectonic controls on stratigraphic evolution on the Adana Basin, Turkey. Journal of the Geol. Soc. London 152, 873 - 882.
- Wüllner, D.E & James, W.C. (1989) Braided and meandering submarine fan channel deposits, Tesnus Formation, Marathon Basin, West Texas. Sedimentary Geology 62, 27 – 45.

- Wynn, R.B., Masson, D.G., Stow, D.A.V. & Weaver, P.P.E. (2000) The Northwest African slope apron: a modern analogue for deep-water systems with complex seafloor topography. *Marine and Petroleum Geology* 17, 253 - 265.
- Wynn, R.B., Kenyon, N.H., Masson, D.G., Stow, D.A.V. & Weaver, P.P.E. (2002) –Characterization and recognition of deep-water channel-lobe transition zones. *AAPG Bulletin* 86: 8, 1441 – 1462.
- Yetiş, C. (1988) Reorganization of the Tertiary stratigraphy in the Adana Basin, southern Turkey. *Newsletters Stratigraphy* 20, 42 - 58.
- Yetiş, C. & Demirkol, C. (1986) A detailed geologic investigation of the western side of the Adana Basin. *Miner Res Explor Inst. Rep no 8037* – 8037a.
- Yetiş, C., Kelling, G., Gökçen, S. & Baroz, F. (1995) A revised stratigraphic framework for Late Cenozoic sequences in the northeastern Mediterranean region. *Geologische Rundschau* 84, 794 - 812.
- Yilmaz, Y. (1993) New evidence and model on the evolution of the southeast Anatolian orogeny. *AAPG Bulletin* 105, 251 - 271.
- Ziegler, P.A. (1981) Evolution of Sedimentary Basins in North-West Europe. In: *Petroleum Geology of the Continental Shelf of north-west Europ.* Institute of Petroleum, London, 3 - 39.